

Melanoma Biopsy Profile

Procedure: Biopsy, shave
Biopsy, punch
Biopsy, other: _____
Other: _____
Not specified

Tumor Site/Specimen laterality: Right
Left
Midline
Not specified

Tumor size (greatest dimension): _____ cm
Cannot be determined

Histologic Type:

Invasive: No residual melanoma identified
Superficial spreading
Nodular
Lentigo maligna
Acral-lentiginous
Desmoplastic
Melanoma arising from blue nevus
Melanoma arising in a giant congenital nevus
Melanoma of childhood
Nevoid melanoma
Persistent melanoma
Melanoma, not otherwise classified
Other: _____

In Situ (anatomic level 1) Superficial spreading
Lentigo maligna type
Acral-lentiginous
Arising in a giant congenital nevus
Melanoma in situ of childhood
Persistent melanoma in situ
Melanoma in situ, not otherwise classified
Other: _____

Anatomic (Clark's) Level: At least level ____
 II: Melanoma present in but does not fill and expand
 papillary dermis
 III: Melanoma fills and expands papillary dermis
 IV: Melanoma invades reticular dermis
 V: Melanoma invades subcutis

Maximum Tumor Thickness (Breslow depth): ____ mm
 At least __ mm
 Cannot be determined

Tumor-Infiltrating Lymphocytes:

Tumor Regression: Not identified
 Present
 Cannot be determined

Mitotic Rate (/mm²): None identified
 ≥1 mm² (specify number): ____

Growth Phase: Radial
 Vertical
 Cannot be determined

Microscopic Satellitosis: Not identified
 Present
 Cannot be determined

Macroscopic Satellitosis: Not identified
 Present
 Cannot be determined

Ulceration: Present
 Not identified
 Cannot be determined

Lympho-vascular Invasion: Not identified
 Present
 Cannot be determined

Perineural Invasion: Not identified
 Present
 Cannot be determined

Margins:

Peripheral Margins: Cannot be assessed
 Uninvolved by invasive melanoma
 Distance from closest margin: __ mm
 Location: _____
 Involved by invasive melanoma; location: _____
 Uninvolved by melanoma in situ
 Distance from closest margin: __ mm
 Location: _____
 Involved by melanoma in situ; location: _____

Deep Margin: Cannot be assessed
 Uninvolved by invasive melanoma
 Distance from closest margin: __ mm
 Involved by invasive melanoma; location: _____

Co-existing Nevus: Present
 Absent

Pathologic Staging (pTNM):

pTX: Primary tumor cannot be assessed (eg, shave biopsy or regressed melanoma)
(explain): _____

pT0: No evidence of primary tumor

pTis: Melanoma in situ (ie, not an invasive tumor: anatomic level I)

pT1: Melanoma 1.0 mm or less in thickness, with or without ulceration

 pT1a: Melanoma 1.0 mm or less in thickness, no ulceration

 pT1b: Melanoma 1.0 mm or less in thickness with ulceration and/or 1 or more mitoses/mm²

pT2: Melanoma 1.01 to 2 mm in thickness, with or without ulceration

 pT2a: Melanoma 1.01 to 2.0 mm in thickness, no ulceration

 pT2b: Melanoma 1.01 to 2.0 mm in thickness, with ulceration

pT3: Melanoma 2.01 to 4.0 mm in thickness, with or without ulceration

- pT3a: Melanoma 2.01 to 4.0 mm in thickness, no ulceration
- pT3b: Melanoma 2.01 to 4.0 mm in thickness, with ulceration
- pT4: Melanoma greater than 4.0 mm in thickness, with or without ulceration
 - pT4a: Melanoma greater than 4.0 mm in thickness, no ulceration
 - pT4b: Melanoma greater than 4.0 mm in thickness, with ulceration

*The measurement of tumor size may underestimate the clinical size of the lesion due to tissue shrinkage