

MAJOR SALIVARY GLAND NEOPLASM

NOTE: This template should only be used for major salivary gland tumors; minor salivary gland tumors should be recorded in site-specific templates (i.e., Sinonasal Neoplasm, Pharynx Neoplasm, etc.)

Specimen: Parotid gland
Submandibular gland
Sublingual gland
Other: _____

Procedure: Parotidectomy
Other: _____

Specimen Size: ____ x ____ x ____ cm

Specimen Laterality: Right
Left
Bilateral
Other: _____

Tumor site: Parotid gland
Submandibular gland
Sublingual gland
Other: _____

Tumor Focality: Unifocal Multifocal

Tumor Size (greatest dimension): _____ cm

Histologic Type: Acinic cell carcinoma
Adenoid cystic carcinoma
Basal cell adenocarcinoma
Carcinoma ex pleomorphic adenoma
Hyalinizing clear cell carcinoma
Epithelial-myoepithelial carcinoma
Intraductal carcinoma
Mammary analogue secretory carcinoma
Mucoepidermoid carcinoma
Myoepithelial carcinoma
Oncocytic carcinoma
Polymorphous adenocarcinoma
Salivary duct carcinoma
Other: _____

Histologic Grade: Well-differentiated (G1)
Moderately-differentiated (G2)
Poorly-differentiated (G3)

Other: _____

Lymphovascular Invasion: Present Absent

Perineural Invasion: Present Absent

Margins: Negative Positive

Extent of Primary Tumor:

No evidence of primary tumor (pT0)

Carcinoma in situ (pTis)

Tumor 2 cm or less in greatest dimension without extraparenchymal extension (pT1)

Tumor more than 2 cm but not more than 4 cm in greatest dimension without extraparenchymal extension (pT2)

Tumor more than 4 cm and/or tumor having extraparenchymal extension (pT3)

Tumor invades skin, mandible, ear canal, and/or facial nerve (pT4a)

Tumor invades skull base and/or pterygoid plates and/or encases carotid artery (pT4b)

Lymph Node Status:

Not assessed

No regional lymph node metastasis (pN0)

Metastasis in a single ipsilateral lymph node, 3 cm or less in greatest dimension (pN1)

Metastasis in a single ipsilateral lymph node, more than 3 cm but not more than 6 cm in greatest dimension (pN2a)

Metastasis in multiple ipsilateral lymph nodes, none more than 6 cm in greatest dimension (pN2b)

Metastasis in bilateral or contralateral lymph nodes, none more than 6 cm in greatest dimension (pN2c)

Metastasis in a lymph node more than 6 cm in greatest dimension (pN3)

Extracapsular extension: Present Absent N/A

Distant Metastasis:

Not assessed

Distant metastasis (pM1)