

MAJOR SALIVARY GLAND NEOPLASM

NOTE: This template should only be used for major salivary gland tumors; minor salivary gland tumors should be recorded in site-specific templates (i.e., Sinonasal Neoplasm, Pharynx Neoplasm, etc.)

Procedure: Parotidectomy
Other: _____

Tumor site: Parotid gland
Submandibular gland
Sublingual gland
Other: _____

Specimen Laterality: Right
Left
Bilateral
Other: _____

Tumor Focality: Unifocal Multifocal

Tumor Size (greatest dimension): _____ cm

Histologic Type: Acinic cell carcinoma
Adenoid cystic carcinoma
Basal cell adenocarcinoma
Carcinoma ex pleomorphic adenoma
Hyalinizing clear cell carcinoma
Epithelial-myoepithelial carcinoma
Intraductal carcinoma
Mammary analogue secretory carcinoma
Mucoepidermoid carcinoma
Myoepithelial carcinoma
Oncocytic carcinoma
Polymorphous adenocarcinoma
Salivary duct carcinoma
Other: _____

Histologic Grade: Low-grade (G1)
Intermediate-grade (G2)
High-grade (G3)
Other: _____

Lymphovascular Invasion: Present Absent

Perineural Invasion: Present Absent

Bone Invasion: Present Absent N/A

Margins: Negative Positive

Extent of Primary Tumor:

- No evidence of primary tumor (pT0)
- Carcinoma in situ (pTis)
- Tumor 2 cm or smaller in greatest dimension without extraparenchymal extension* (pT1)
- Tumor larger than 2 cm but not larger than 4 cm in greatest dimension without extraparenchymal extension* (pT2)
- Tumor larger than 4 cm and/or tumor having extraparenchymal extension* (pT3)
- Tumor invades skin, mandible, ear canal, and/or facial nerve (pT4a)
- Tumor invades skull base and/or pterygoid plates and/or encases carotid artery (pT4b)

**Extraparenchymal extension is clinical or macroscopic evidence of invasion of soft tissues. Microscopic evidence alone does not constitute extraparenchymal extension for classification purposes.*

Lymph Node Status:

- Not assessed
- No regional lymph node metastasis (pN0)
- Metastasis in a single ipsilateral lymph node, 3 cm or smaller in greatest dimension without extranodal extension (pN1)
- Metastasis in a single ipsilateral lymph node, 3 cm or smaller in greatest dimension with extranodal extension (pN2a)
- Metastasis in a single ipsilateral lymph node, larger than 3 cm but not larger than 6 cm in greatest dimension without extranodal extension (pN2a)
- Metastasis in multiple ipsilateral lymph nodes, none larger than 6 cm in greatest dimension without extranodal extension (pN2b)
- Metastasis in bilateral or contralateral lymph nodes, none larger than 6 cm in greatest dimension without extranodal extension (pN2c)
- Metastasis in a lymph node larger than 6 cm in greatest dimension without extranodal extension (pN3a)
- Metastasis in a single ipsilateral lymph node, larger than 3 cm in greatest dimension with extranodal extension (pN3b)
- Metastases in multiple ipsilateral, contralateral, or bilateral lymph nodes with extranodal extension (pN3b)
- Metastasis in a single contralateral node, 3 cm or smaller with extranodal extension (pN3b)

Distant Metastasis:

- Not assessed
- Distant metastasis (pM1)