

**PANCREATIC IPMN, ITPN, AND MCN**

**\*\*Note: Use together with Pancreatic Carcinoma template if there is an invasive component**

**Histologic type:**

- Intraductal papillary mucinous neoplasm (IPMN) with low or intermediate grade dysplasia
- Intraductal papillary mucinous neoplasm (IPMN) with high grade dysplasia
- Intraductal papillary mucinous neoplasm (IPMN) with an associated invasive adenocarcinoma
- Intraductal papillary mucinous neoplasm (IPMN) and a concomitant invasive adenocarcinoma (IPMN is separate from invasive carcinoma)
- Mucinous cystic neoplasm (MCN) with low or intermediate grade dysplasia
- Mucinous cystic neoplasm (MCN) with high grade dysplasia
- Mucinous cystic neoplasm (MCN) with an associated invasive adenocarcinoma
- Mucinous cystic neoplasm (MCN) and a concomitant invasive adenocarcinoma (MCN is separate from invasive carcinoma)
- Intraductal tubulopapillary neoplasm (ITPN) with high grade dysplasia
- Intraductal tubulopapillary neoplasm (ITPN) with an associated invasive carcinoma
- Intraductal tubulopapillary neoplasm (ITPN) and a concomitant invasive carcinoma (ITPN is separate from invasive carcinoma)

**Tumor size (IPMN, MCN, or ITPN part only without the invasive part):**

- Monolocular cystic mass; greatest dimension: \_\_\_ cm
- Multilocular cystic mass; greatest dimension: \_\_\_ cm
- Multiple monolocular or multilocular cystic masses; size range: \_\_\_ to \_\_\_ cm

**Cystic content:**

- Abundant mucinous content
- Scant mucinous content
- No cystic content

**Tumor location:**

- Pancreatic head
- Pancreatic body
- Pancreatic tail
- Cannot be determined

**Epithelial type in IPMN: (select one)**

- Gastric type
- Intestinal type
- Pancreatobiliary type

- Oncocytic type
- Mixed type (specify): \_\_\_\_\_
- Cannot be determined

**Relationship of IPMN to pancreatic duct (for IPMN only):**

- Tumor involves main pancreatic duct with diffuse ductal dilatation
- Tumor involves main pancreatic duct with segmental ductal dilatation
- Tumor involves main pancreatic duct with no ductal dilatation
  
- Tumor involves branch pancreatic duct with diffuse ductal dilatation
- Tumor involves branch pancreatic duct with segmental ductal dilatation
- Tumor involves branch pancreatic duct with no ductal dilatation
  
- Tumor involves both main and branch pancreatic duct with diffuse ductal dilatation
- Tumor involves both main and branch pancreatic duct with segmental ductal dilatation
- Tumor involves both main and branch pancreatic duct with no ductal dilatation
- Cannot be determined

**Margins:**

- Negative
- Involved by tumor (specify):
- Cannot be assessed

**Adjacent non-neoplastic pancreatic parenchyma:**

- Unremarkable
- Acute pancreatitis
- Chronic pancreatitis
- Contains pancreatic intraepithelial neoplasia, low grade
- Contains pancreatic intraepithelial neoplasia, high grade
- Other (specify): \_\_\_\_\_