

**PHARYNX NEOPLASM**

Specimen: Oropharynx  
Nasopharynx  
Hypopharynx  
Other: \_\_\_\_\_

Procedure: Tonsillectomy  
Pharyngectomy  
Other: \_\_\_\_\_

Specimen Size: \_\_\_\_ x \_\_\_\_ x \_\_\_\_ cm

Laterality: Right  
Left  
Midline  
Bilateral  
Other: \_\_\_\_\_

Tumor site: Oropharynx  
Nasopharynx  
Hypopharynx  
Other: \_\_\_\_\_

Tumor Focality: Unifocal          Multifocal

Tumor Size (greatest dimension): \_\_\_\_\_ cm

Histologic Type: Keratinizing squamous cell carcinoma  
Nonkeratinizing squamous cell carcinoma  
Papillary squamous cell carcinoma  
Adenosquamous carcinoma  
Basaloid squamous cell carcinoma  
Spindle cell (sarcomatoid) squamous cell carcinoma  
Verrucous carcinoma  
Other: \_\_\_\_\_

Histologic Grade: Well-differentiated (G1)  
Moderately-differentiated (G2)  
Poorly-differentiated (G3)  
Other: \_\_\_\_\_

Lymphovascular Invasion: Present          Absent

Perineural Invasion: Present          Absent

Margins:            Negative            Positive

Extent of Primary Tumor (Oropharynx):

No evidence of primary tumor (pT0)

Carcinoma in situ (pTis)

Tumor 2 cm or less in greatest dimension (pT1)

Tumor more than 2 cm but not more than 4 cm in greatest dimension (pT2)

Tumor more than 4 cm in greatest dimension or extension to lingual surface of epiglottis (pT3)

Tumor invades larynx, deep/extrinsic muscle of tongue, medial pterygoid muscles, hard palate, or mandible (pT4a)

Tumor invades lateral pterygoid muscle, pterygoid plates, lateral nasopharynx, or skull base, or encases carotid artery (pT4b)

Extent of Primary Tumor (Nasopharynx):

No evidence of primary tumor (pT0)

Carcinoma in situ (pTis)

Tumor confined to nasopharynx, or tumor extends to oropharynx and/or nasal cavity without parapharyngeal extension (pT1)

Tumor with parapharyngeal extension (pT2)

Tumor invades bony structures of skull base and/or paranasal sinuses (pT3)

Tumor with intracranial extension and/or involvement of cranial nerves, hypopharynx, orbit, or with extension to the infratemporal fossa/masticator space (pT4)

Extent of Primary Tumor (Hypopharynx):

No evidence of primary tumor (pT0)

Carcinoma in situ (pTis)

Tumor limited to one subsite of hypopharynx and/or 2 cm or less in greatest dimension (pT1)

Tumor invades more than one subsite of hypopharynx or an adjacent site, or measures more than 2 cm but not more than 4 cm in greatest dimension without fixation of hemilarynx (pT2)

Tumor measures more than 4 cm in greatest dimension or with fixation of hemilarynx or extension to esophagus (pT3)

Tumor invades thyroid/cricoid cartilage, hyoid bone, thyroid gland, or central compartment soft tissue (pT4a)

Tumor invades prevertebral fascia, encases carotid artery, or involves mediastinal structures (pT4b)

Lymph Node Status:

Not assessed

No regional lymph node metastasis (pN0)

Metastasis in a single ipsilateral lymph node, 3 cm or less in greatest dimension (pN1)

Metastasis in a single ipsilateral lymph node, more than 3 cm but not more than 6 cm in greatest dimension (pN2a)

Metastasis in multiple ipsilateral lymph nodes, none more than 6 cm in greatest dimension (pN2b)

Metastasis in bilateral or contralateral lymph nodes, none more than 6 cm in greatest dimension (pN2c)

Metastasis in a lymph node more than 6 cm in greatest dimension (pN3)

Extracapsular extension:            Present            Absent            N/A

Distant Metastasis:

Not assessed

Distant metastasis (pM1)