

## SINONASAL NEOPLASM (NASAL CAVITY AND ETHMOID SINUS)

Procedure: Rhinectomy  
Other: \_\_\_\_\_

Tumor site: Nasal cavity  
Ethmoid sinus  
Frontal sinus  
Sphenoid sinus  
Other: \_\_\_\_\_

Tumor Laterality: Right  
Left  
Midline  
Other: \_\_\_\_\_

Tumor Focality: Unifocal          Multifocal

Tumor Size (greatest dimension): \_\_\_\_\_ cm

Histologic Type: Keratinizing squamous cell carcinoma  
Nonkeratinizing squamous cell carcinoma  
Papillary squamous cell carcinoma  
Adenosquamous carcinoma  
Basaloid squamous cell carcinoma  
Spindle cell (sarcomatoid) squamous cell carcinoma  
Verrucous carcinoma  
Other: \_\_\_\_\_

Histologic Grade: Well-differentiated (G1)  
Moderately-differentiated (G2)  
Poorly-differentiated (G3)  
Other: \_\_\_\_\_

Lymphovascular Invasion: Present          Absent

Perineural Invasion: Present          Absent

Cartilage Invasion: Present          Absent          N/A

Bone Invasion: Present          Absent          N/A

Margins: Negative          Positive

Extent of Primary Tumor:  
o No evidence of primary tumor (pT0)

- Carcinoma in situ (pTis)
- Tumor restricted to any one subsite, with or without bone invasion (pT1)
- Tumor invading two subsites in a single region or extending to involve an adjacent region within the nasoethmoidal complex, with or without bone invasion (pT2)
- Tumor extends to invade the medial wall or floor of the orbit, maxillary sinus, palate, or cribriform plate (pT3)
- Tumor invades any of the following: anterior orbital contents, skin of nose or cheek, minimal extension to anterior cranial fossa, pterygoid plates, or sphenoid or frontal sinuses (pT4a)
- Tumor invades any of the following: orbital apex, dura, brain, middle cranial fossa, cranial nerves other than maxillary division of trigeminal nerve (V2), nasopharynx, or clivus (pT4b)

#### Lymph Node Status:

- Not assessed
- No regional lymph node metastasis (pN0)
- Metastasis in a single ipsilateral lymph node, 3 cm or smaller in greatest dimension without extranodal extension (pN1)
- Metastasis in a single ipsilateral lymph node, 3 cm or smaller in greatest dimension with extranodal extension (pN2a)
- Metastasis in a single ipsilateral lymph node, larger than 3 cm but not larger than 6 cm in greatest dimension without extranodal extension (pN2a)
- Metastasis in multiple ipsilateral lymph nodes, none larger than 6 cm in greatest dimension without extranodal extension (pN2b)
- Metastasis in bilateral or contralateral lymph nodes, none larger than 6 cm in greatest dimension without extranodal extension (pN2c)
- Metastasis in a lymph node larger than 6 cm in greatest dimension without extranodal extension (pN3a)
- Metastasis in a single ipsilateral lymph node, larger than 3 cm in greatest dimension with extranodal extension (pN3b)
- Metastases in multiple ipsilateral, contralateral, or bilateral lymph nodes with extranodal extension (pN3b)
- Metastasis in a single contralateral node, 3 cm or smaller with extranodal extension (pN3b)

#### *Extent of Primary Tumor (Mucosal Melanoma):*

- *Tumors limited to the mucosa and immediately underlying soft tissue, regardless of thickness or greatest dimension (pT3)*
- *Tumor involving deep soft tissue, cartilage, bone, or overlying skin (pT4a)*
- *Tumor involving brain, dura, skull base, lower cranial nerves (IX, X, XI, XII), masticator space, carotid artery, prevertebral space, or mediastinal structures (pT4b)*

#### *Lymph Node Status (Mucosal Melanoma):*

- *Not assessed*
- *No regional lymph node metastasis (pN0)*
- *Regional lymph node metastases present (pN1)*

#### Distant Metastasis:

- Not assessed
- Distant metastasis (pM1)