

## Soft Tissue Sarcoma

**Procedure:** Core needle biopsy  
Incisional biopsy  
Excisional biopsy  
Other: \_\_\_\_\_  
Not specified

**Tumor type (based on WHO classification):** \_\_\_\_\_

**Tumor site:** \_\_\_\_\_

**Tumor size**

\_\_\_ x \_\_\_ x \_\_\_ cm

**Localization**

- Superficial
  - Dermal
  - Subcutaneous (suprafacial)
- Deep
  - Fascial
  - Subfascial
  - Intramuscular
  - Mediastinal
  - Intra-abdominal
  - Retroperitoneal
  - Head and neck
  - Other (specify) \_\_\_\_\_
- Indeterminate

**Mitotic rate**

\_\_\_/10 HPF

**Necrosis**

- Not identified
- Present
  - Extent \_\_\_%

**Grade (based on FNCLCC)**

- 1
- 2
- 3
- Ungraded sarcoma
- Cannot be determined

**Margin status/Procedure**

- Positive margin (tumor touching ink) or intralesional resection
  - Site(s) of positivity \_\_\_\_\_
- Marginal resection (ink on pseudocapsule)
  - Distance to closest margin \_\_\_ cm

- Site(s) of close margin(s)\_\_\_\_\_
- Wide resection (layer of normal tissue surrounding tumor)
  - Distance to closest margin \_\_ cm
  - Site(s) of close margin(s)\_\_\_\_\_
- Cannot be assessed

**Lymph-vascular invasion**

- Present
- Not identified
- Indeterminate

**Percent post-treatment effect (based on combined gross and microscopic examination)**

- Present
  - \_\_%
- Not identified
- Indeterminate

**Staging, TMN categories (AJCC, 7th ed.)**

TX-Primary tumor cannot be assessed

T0-No evidence of primary tumor

T1a-Tumor  $\leq 5$  cm in greatest dimension, superficial tumor

T1b-Tumor  $\leq 5$  cm in greatest dimension, deep tumor

T2a-Tumor  $> 5$  cm in greatest dimension, superficial tumor

T2b-Tumor  $> 5$  cm in greatest dimension, deep tumor

NX-Regional lymph nodes cannot be assessed

N0-No regional lymph nodes or unknown lymph node status

N1-Regional lymph node metastasis

NA-Not applicable

M1-Distant metastasis

- T\_\_
- N\_\_
- M\_\_