## TESTICLE NEOPLASM

Specimen Laterality:	Right	Left	Not specified					
Tumor Focality:	Unifocal	Multifocal						
Tumor size (greatest dimension): cm								
Histologic type: Pure classic seminoma Spermatocytic seminoma Sex cord-stromal tumor Non-seminomatous germ cell tumor – pure Non-seminomatous germ cell tumor – mixed Other:								
Seminoma: Embryonal carcinoma: Yolk sac tumor: Choriocarcinoma: Teratoma: Other:		% % % %						
Rete Testis Involvemen N/A Absent Present; invasir Present; GCNI	ve	imor:						
Germ cell neoplasia in	situ (GCNIS):	Present	Absent	N/A				
Extent of Primary Tumor: No evidence of primary tumor (pT0) Germ cell neoplasia in situ only (pTis) Tumor limited to the testis and epididymis without vascular/lymphatic invasion; tumor may invade tunica albuginea but not the tunica vaginalis (pT1) Tumor limited to the testis and epididymis with vascular/lymphatic invasion, or tumor extending through the tunica albuginea with involvement of the tunica vaginalis (pT2) Tumor invades the spermatic cord with or without vascular/lymphatic invasion (pT3) Tumor invades the scrotum with or without vascular/lymphatic invasion (pT4)								
Lymph Node Status: Not assessed No regional lymph node metastasis (pN0) Metastasis with a lymph node mass 2 cm or less in greatest dimension and less than or equal to 5 nodes positive, none more than 2 cm in greatest dimension (pN1) Metastasis with a lymph node mass more than 2 cm but not more than 5 cm in greatest dimension; or more than 5 nodes positive, none more than 5 cm; or evidence of extranodal extension of tumor (pN2) Metastasis in a lymph node more than 5 cm in greatest dimension (pN3)								

Distant metastasis:
Not assessed
Nonregional nodal or pulmonary metastasis (pM1a)
Distant metastasis other than to nonregional lymph nodes and lung (pM1b)

Necrosis:	Present	Absent	N/A	
Lymphovascular invasion:	Present	Absent	N/A	
Spermatic cord margin:	Positive	Negative	N/A	
Serum Tumor Markers:	Available	Not available		N/A