

PHARYNX NEOPLASM (HPV-UNRELATED OROPHARYNX)

Procedure: Tonsillectomy
Other: _____

Tumor site: Oropharynx
Other: _____

Tumor Laterality: Right
Left
Midline
Bilateral
Other: _____

Tumor Focality: Unifocal Multifocal

Tumor Size (greatest dimension): _____ cm

Histologic Type: Keratinizing squamous cell carcinoma
Nonkeratinizing squamous cell carcinoma
Papillary squamous cell carcinoma
Adenosquamous carcinoma
Basaloid squamous cell carcinoma
Spindle cell (sarcomatoid) squamous cell carcinoma
Verrucous carcinoma
Other: _____

Histologic Grade: Well-differentiated (G1)
Moderately-differentiated (G2)
Poorly-differentiated (G3)
Other: _____

Lymphovascular Invasion: Present Absent

Perineural Invasion: Present Absent

Bone Invasion: Present Absent N/A

Margins: Negative Positive

Extent of Primary Tumor:
No evidence of primary tumor (pT0)
Carcinoma in situ (pTis)
Tumor 2 cm or smaller in greatest dimension (pT1)
Tumor larger than 2 cm but not larger than 4 cm in greatest dimension (pT2)
Tumor larger than 4 cm in greatest dimension or extension to lingual surface of epiglottis (pT3)
Tumor invades larynx, extrinsic muscle of tongue, medial pterygoid muscles, hard palate, or mandible

(pT4a)

Tumor invades lateral pterygoid muscle, pterygoid plates, lateral nasopharynx, or skull base, or encases carotid artery (pT4b)

Lymph Node Status:

- Not assessed
- No regional lymph node metastasis (pN0)
- Metastasis in a single ipsilateral lymph node, 3 cm or smaller in greatest dimension without extranodal extension (pN1)
- Metastasis in a single ipsilateral lymph node, 3 cm or smaller in greatest dimension with extranodal extension (pN2a)
- Metastasis in a single ipsilateral lymph node, larger than 3 cm but not larger than 6 cm in greatest dimension without extranodal extension (pN2a)
- Metastasis in multiple ipsilateral lymph nodes, none larger than 6 cm in greatest dimension without extranodal extension (pN2b)
- Metastasis in bilateral or contralateral lymph nodes, none larger than 6 cm in greatest dimension without extranodal extension (pN2c)
- Metastasis in a lymph node larger than 6 cm in greatest dimension without extranodal extension (pN3a)
- Metastasis in a single ipsilateral lymph node, larger than 3 cm in greatest dimension with extranodal extension (pN3b)
- Metastases in multiple ipsilateral, contralateral, or bilateral lymph nodes with extranodal extension (pN3b)
- Metastasis in a single contralateral node, 3 cm or smaller with extranodal extension (pN3b)

Extent of Primary Tumor (Mucosal Melanoma):

Tumors limited to the mucosa and immediately underlying soft tissue, regardless of thickness or greatest dimension (pT3)

Tumor involving deep soft tissue, cartilage, bone, or overlying skin (pT4a)

Tumor involving brain, dura, skull base, lower cranial nerves (IX, X, XI, XII), masticator space, carotid artery, prevertebral space, or mediastinal structures (pT4b)

Lymph Node Status (Mucosal Melanoma):

Not assessed

No regional lymph node metastasis (pN0)

Regional lymph node metastases present (pN1)

Distant Metastasis:

Not assessed

Distant metastasis (pM1)